

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	0	@ad<"20040227" and 380/200-242.ccls. and ((send\$3 or transmit\$4) with fingerprint\$3 with protocol with (video or mpeg\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:07
L12	2	@ad<"20040227" and 380/200-242.ccls. and ((send\$3 or transmit\$4) with fingerprint\$3 with (video or mpeg\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:07
L14	494	@ad<"20040227" and (embed\$4 with data with mpeg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:21
L15	0	@ad<"20040227" and (embed\$4 with data with mpeg\$3) and ((ip or (internet near3 protocol)) with (udp or (user near3 datagram)) with (rtp or (real near3 time)) with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:23
L16	1	@ad<"20040227" and (embed\$4 with data with mpeg\$3) and ((ip or (internet near3 protocol)) same (udp or (user near3 datagram)) same (rtp or (real near3 time)) same header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:23
L18	83	@ad<"20040227" and flexmux	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:30
L19	30	@ad<"20040227" and (flexmux same header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:30
L20	7	@ad<"20040227" and (flexmux with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:30

L21	7	@ad<"20040227" and (flexmux with header) and mpeg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:31
L22	2	@ad<"20040227" and (flexmux with synchroniz \$5 with header) and mpeg \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:31
L23	0	@ad<"20040227" and (flexmux with header) and mpeg\$3 and (synchroniz\$5 with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:32
L24	0	@ad<"20040227" and (embed\$4 with data with mpeg\$3) and (synchroniz \$5 with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:35
L25	0	@ad<"20040227" and (empeg\$3) and (synchroniz \$5 with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:35
L26	0	@ad<"20040227" and (mpeg\$3) and (synchroniz \$5 with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:36
L27	0	@ad<"20040227" and (synchroniz\$5 with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:36
L28	0	@ad<"20040227" and (embed\$4 with data with mpeg\$3) and (synchroniz \$5 with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:36
L29	107	@ad<"20040227" and (mpeg\$3) and (synchroniz \$5 with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:36
L30	0	@ad<"20040227" and (mpeg\$3) and (synchroniz \$5 with layer with header) and herrmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:37

L31	35	@ad<"20040227" and (mpeg\$3 same (synchroniz \$5 with layer with header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:37
L32	0	@ad<"20040227" and (mpeg\$3 same (synchroniz \$5 adj layer adj header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:38
L33	1	@ad<"20040227" and mpeg\$3 and (synchroniz \$5 adj layer adj header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:38
L34	2	"20050193426".pn. and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:42
L35	1	"20050193426".pn. and (medium with computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:42
L36	2	"20050193426".pn. and (medium with (computer or machine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:42
S1	128	@ad<"20040227" and "725"/\$.cls. and (fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 10:04
S2	8	@ad<"20040227" and "725"/\$.cls. and ((video or audio) adj fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 10:04
S3	26	@ad<"20040227" and "725"/\$.cls. and (fingerprint near3 (scan\$4 or analysis or analyz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 10:07
S4	0	@ad<"20040227" and "725"/\$.cls. and (fingerprint with algorithm with headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:19

S5	4	@ad<"20040227" and "725"/\$.cls. and (fingerprint with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:19
S6	1207	@ad<"20040227" and (fingerprint with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:21
S7	0	@ad<"20040227" and (fingerprint with algorithm with modifying with health with receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22
S8	0	@ad<"20040227" and (fingerprint with algorithm with modifying with health with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22
S9	0	@ad<"20040227" and (fingerprint with algorithm with modifying with receiv \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22
S10	1	@ad<"20040227" and (fingerprint with algorithm with chang\$3 with receiv \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22
S11	0	@ad<"20040227" and (fingerprint with algorithm with download\$3 with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:23
S12	9	@ad<"20040227" and (fingerprint with algorithm with download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:23
S13	25	@ad<"20040227" and (hash\$3 with algorithm with download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:25
S14	2	@ad<"20040227" and ((hash\$3 with algorithm with download\$3) same updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:25

S15	9	@ad<"20040227" and (fingerprint\$3 with algorithm with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:26
S16	3	@ad<"20040227" and (fingerprint\$3 near3 algorithm) and (download \$3 near3 algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:28
S17	48	@ad<"20040227" and (fingerprint\$3 with (image or video or audio)) and (download\$3 near3 algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:29
S18	1	@ad<"20040227" and (fingerprint\$3 with (image or video or audio)) and (download\$3 near3 algorithm with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:30
S19	3	@ad<"20040227" and (fingerprint\$3 with (image or video or audio)) and (download\$3 with algorithm with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:30
S20	0	@ad<"20040227" and ((fingerprint\$3 or identifier) with (image or video or audio)) and (download\$3 with algorithm with updat\$3 with (determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:32
S21	12	@ad<"20040227" and ((fingerprint\$3 or identifier) with (image or video or audio)) and (download\$3 with algorithm with (determin \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:32
S22	36	@ad<"20040227" and "725"/\$.ccls. and (algorithm with determin \$3 with (characteristic or parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:39
S23	0	@ad<"20040227" and "725"/\$.ccls. and (algorithm with determin \$3 with (characteristic or parameter)) and fingerprint\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:40

S24	26	@ad<"20040227" and "725"/\$.cls. and (algorithm with determin \$3 with (characteristic or parameter)) and (identification of identify \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:40
S25	9	@ad<"20040227" and "725"/\$.cls. and (algorithm with determin \$3 with (characteristic or parameter)) and ((identification of identify \$3) with (image or frame or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:41
S26	9	@ad<"20040227" and "725"/\$.cls. and (algorithm with determin \$3 with (network or transmission) with (delay or health)) and ((identification of identify \$3) with (image or frame or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:07
S27	0	@ad<"20040227" and "725"/\$.cls. and ((fingerprint\$3 or identification or identify \$3) with algorithm with determin\$3 with (network or transmission) with (delay or health))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:09
S28	5	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with algorithm with determin\$3 with (network or transmission) with (delay or health))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:10
S29	13	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with algorithm with determin\$3 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:11
S30	13	S29 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:11

S31	0	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with algorithm with determin\$3 with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:11
S32	7	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with algorithm with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:12
S33	291	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:15
S34	30	@ad<"20040227" and "725"/\$.cls. and ((fingerprint\$3 or identification or identify \$3) with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:15
S35	0	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with bandwidth with (image or video or audio) with (uplink or (return adj path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:17
S36	1	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with (bandwidth or health or delay or vibration or variation) with (image or video or audio) with (uplink or (return adj path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:17
S37	7	@ad<"20040227" and (fingerprint\$3 with (bandwidth or delay or health) with (algorithm or protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:19
S38	0	@ad<"20040227" and "725"/\$.cls. and (fingerprint with (send\$3 or transmitting) with headend with (match\$3 or verify\$3 or verification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:45

S39	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with (send\$3 or transmitting) with (headend or server) with (match\$3 or verify\$3 or verification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:45
S40	4	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with (headend or server) with (match\$3 or verify\$3 or verification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:45
S41	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with periodically with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:49
S42	0	@ad<"20040227" and (fingerprint with periodically with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:49
S43	0	@ad<"20040227" and (fingerprint with (periodically or interval) with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:49
S44	0	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50
S45	39	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50
S46	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint\$3 with (periodically or interval) with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50
S47	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50

S48	0	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:51
S49	0	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:51
S50	1	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with (chang\$3 or modify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:51
S51	11	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:52
S52	3849	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:53
S53	0	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio) with (updat\$3) with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:53
S54	4	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio) with download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:54
S55	95	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio) with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:55
S56	7	@ad<"20040227" and ((periodically or interval) with algorithm with (image or video or audio) with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:56

S57	0	@ad<"20040227" and ((periodically or interval) with check\$3 with algorithm with (image or video or audio) with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:58
S58	13	@ad<"20040227" and ((periodically or interval) with check\$3 with algorithm with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:58
S59	0	@ad<"20040227" and "725"/\$.cls. and ((periodically or interval) with check\$3 with algorithm with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:58
S60	3	@ad<"20040227" and "725"/\$.cls. and ((periodically or interval) with check\$3 with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:59
S61	0	@ad<"20040227" and "725"/\$.cls. and ((periodically or interval) with check\$3 with software with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:03
S62	41	@ad<"20040227" and "725"/\$.cls. and ((periodically or interval) with check\$3 with (updat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:07
S63	46	@ad<"20040227" and "725"/\$.cls. and ((periodic\$4 or interval) with check\$3 with (updat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:07
S64	2	@ad<"20040227" and "725"/\$.cls. and ((periodic\$4 or interval) with check\$3 with (updat \$3) with (software or firmware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:07
S65	32	@ad<"20040227" and "725"/\$.cls. and ((periodic\$4 or interval) with (updat\$3) with (software or firmware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:19
S66	30	S65 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:19

S67	1	@ad<"20040227" and "725"/\$.ccls. and ((updat\$3) with (software or firmware) with MPEG\$3 with (stream or ES))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:25
S68	20	@ad<"20040227" and "725"/19.ccls. and (audio with video with (signature or fingerprint\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:32
S69	6	@ad<"20040227" and "725"/19.ccls. and (audio with video with (signature or fingerprint\$3) with (creat\$3 or generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:37
S70	17	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (check\$3 or measur\$3) with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:46
S71	0	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (check\$3 or measur\$3) with bandwidth with (transmit\$4 or send\$3) with headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:50
S72	1	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (check\$3 or measur\$3) with bandwidth with (transmit\$4 or send\$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:50
S73	1	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (determin\$3 or check\$3 or measur\$3) with bandwidth with (transmit\$4 or send\$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:52
S74	14	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (determin\$3 or check\$3 or measur\$3) with bandwidth with (transmit\$4 or send\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:52

S75	4	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (determin\$3 or check \$3 or measur\$3) with bandwidth with (upstream))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:53
S76	0	@ad<"20040227" and "725"/\$.ccls. and (bandwidth with uplink with (fingerprint\$3 or identify\$3 or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:10
S77	12	@ad<"20040227" and (bandwidth with uplink with (fingerprint\$3 or identify\$3 or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:10
S78	0	@ad<"20040227" and (bandwidth with uplink with (fingerprint\$3 or identify\$3 or identification or analysis or analyz\$3) with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:14
S79	122	@ad<"20040227" and ((fingerprint\$3 or identify \$3 or identification or analysis or analyz\$3) with (image or video or audio)) same (bandwidth with (adjust\$3 or chang\$3 or modify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:15
S80	8	@ad<"20040227" and ((fingerprint\$3 or identify \$3 or identification or analysis or analyz\$3) with (image or video or audio)) same (bandwidth with (adjust\$3 or chang\$3 or modify\$3) with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:16
S81	1	"20050193426".pn. and (fingerprint with internet with datagram with transport with flexmux with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:09

S82	0	@ad<"20040227" and ("725"/\$.ccls. or "380"/\$.ccls.) and ((fingerprint or (finger adj print)) same (internet with protocol) same header same (user with datagram) same ((realtime or (real adj time)) with transport) same (flexmux) same (synchronizat\$3 with layer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:12
S83	0	@ad<"20040227" and ((fingerprint or (finger adj print)) same (internet with protocol) same header same (user with datagram) same ((realtime or (real adj time)) with transport) same (flexmux) same (synchronizat\$3 with layer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:13
S84	0	@ad<"20040227" and ((internet with protocol) same header same (user with datagram) same ((realtime or (real adj time)) with transport) same (flexmux) same (synchronizat\$3 with layer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:13
S85	0	@ad<"20040227" and ("725"/\$.ccls. or "380"/\$.ccls.) and (((fingerprint or (finger adj print)) with control with protocol) same header same ((internet with protocol) or (user with datagram) or ((realtime or (real adj time)) with transport) or (flexmux) or (synchronizat\$3 with layer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:14
S86	0	@ad<"20040227" and ("725"/\$.ccls. or "380"/\$.ccls.) and (((fingerprint or (finger adj print))) same header same ((internet with protocol) or (user with datagram) or ((realtime or (real adj time)) with transport) or (flexmux) or (synchronizat\$3 with layer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:15

S87	5	@ad<"20040227" and (((fingerprint or (finger adj print))) same header same ((internet with protocol) or (user with datagram) or ((realtime or (real adj time)) with transport) or (flexmux) or (synchronizat\$3 with layer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:15
S88	2	@ad<"20040227" and (((fingerprint or (finger adj print))) with header with ((internet with protocol) or (user with datagram) or ((realtime or (real adj time)) with transport) or (flexmux) or (synchronizat\$3 with layer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:16
S89	4	@ad<"20040227" and ("725"/\$.ccls. or "380"/\$.ccls.) and (fingerprint or (finger adj print)) and (header with ((internet or ip) near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:18
S90	4	@ad<"20040227" and ("725"/\$.ccls. or "380"/\$.ccls.) and (fingerprint or (finger adj print)) and (header with (((internet or ip) near3 protocol) or (header with (user near3 datagram)) or ((realtime or (real adj time)) near3 transport\$3) or (flexmux or (flex adj mux)) or (synchroniz\$4 near3 layer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:20
S91	40	@ad<"20040227" and (fingerprint or (finger adj print)) and (header with (((internet or ip) near3 protocol) or (header with (user near3 datagram)) or ((realtime or (real adj time)) near3 transport\$3) or (flexmux or (flex adj mux)) or (synchroniz\$4 near3 layer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:21

S92	6	@ad<"20040227" and (fingerprint or (finger adj print)) and (header with ((header with (user near3 datagram)) or ((realtime or (real adj time)) near3 transport\$3) or (flexmux or (flex adj mux)) or (synchroniz\$4 near3 layer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:22
S93	1	@ad<"20040227" and (flexmux near3 header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:25
S94	1	@ad<"20040227" and ((flexmux or (flex adj mux)) near3 header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:25
S95	3	((flexmux or (flex adj mux)) near3 header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:26
S96	201	@ad<"20040227" and (synchronization with layer with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:27
S97	0	@ad<"20040227" and ((synchronization with layer with header) same (fingerprint or (finger adj print)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:28
S98	0	@ad<"20040227" and (synchronization with layer with header) and (fingerprint or (finger adj print))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:28
S99	15	@ad<"20040227" and ((synchronization with layer with header) same (udp or ip or internet or datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:28
S100	28025855	@ad<"20040227" and 725/\$.ccls. ((synchronization with layer with header) same (udp or ip or internet or datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:28

S101	0	@ad<"20040227" and "725"/\$.cls. and ((synchronization with layer with header) same (udp or ip or internet or datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:29
S102	0	@ad<"20040227" and "380"/\$.cls. and ((synchronization with layer with header) same (udp or ip or internet or datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:29
S103	15	@ad<"20040227" and ((synchronization with layer with header) same (udp or ip or internet or datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:29
S104	0	@ad<"20040227" and ((synchronization adj layer adj header) same (udp or ip or internet or datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:32
S105	1	@ad<"20040227" and ((synchronization adj layer adj header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:32

11/ 18/ 2008 1:22:14 PM

C:\ Documents and Settings\ jshepard\ My Documents\ EAST\ Workspaces\ fingerprint_10788838.
wsp